

Famous IDs: Sum & Products Identities

Main Idea

We continue to expand the list of very famous trigonometric identities, and to practice our proving skills. Virtually all identities presented in the last section, this section and in the next few sections, ultimately, come from from the *mother of them all*.

Product-to-Sums Identities

$$\sin a \sin b = \frac{1}{2} [\cos(a - b) - \cos(a + b)]$$

$$\cos a \cos b = \frac{1}{2} [\cos(a - b) + \cos(a + b)]$$

$$\sin a \cos b = \frac{1}{2} [\sin(a + b) + \sin(a - b)]$$

Sums-to-Products Identities

$$\sin a + \sin b = 2 \sin \left(\frac{a + b}{2} \right) \cos \left(\frac{a - b}{2} \right)$$

$$\sin a - \sin b = 2 \sin \left(\frac{a - b}{2} \right) \cos \left(\frac{a + b}{2} \right)$$

$$\cos a + \cos b = 2 \cos \left(\frac{a + b}{2} \right) \cos \left(\frac{a - b}{2} \right)$$

$$\cos a - \cos b = -2 \sin \left(\frac{a + b}{2} \right) \sin \left(\frac{a - b}{2} \right)$$

EXAMPLE 1 (by working on the right hand side) Prove the following identity

$$\sin a \sin b = \frac{1}{2} [\cos(a - b) - \cos(a + b)]$$

Solution: We will work on the right hand side using the identities we have already proven for $\cos(a - b)$ and $\cos(a + b)$

$$\begin{aligned} \sin a \sin b & \stackrel{?}{=} \frac{1}{2} [\cos(a - b) - \cos(a + b)] && \text{want to know} \\ & \quad \quad \quad \frac{1}{2} [\cos a \cos b + \sin a \sin b - (\cos a \cos b - \sin a \sin b)] && \text{proven identities} \\ & \quad \quad \quad \frac{1}{2} [\cos a \cos b + \sin a \sin b - \cos a \cos b + \sin a \sin b] && \text{distribute the negative} \\ & \quad \quad \quad \frac{1}{2} [2 \sin a \sin b] && \text{clean up} \\ & = \sin a \sin b && \text{kachin! kachin!} \end{aligned}$$

EXAMPLE 2 (by tweaking a known identity, the identity from example one.) Prove the following identity

$$\cos x - \cos y = -2 \sin \left(\frac{x+y}{2} \right) \sin \left(\frac{x-y}{2} \right)$$

Solution: We begin with a known identity, the one proven above. We then rearrange the equation to match the identity we are trying to prove. The essential step is the substitution, the real tweak, substituting $a = \left(\frac{x+y}{2} \right)$ and $b = \left(\frac{x-y}{2} \right)$.

$$\sin a \sin b = \frac{1}{2} [\cos(a-b) - \cos(a+b)] \quad (\text{known, proven above})$$

$$2 \sin a \sin b = \cos(a-b) - \cos(a+b) \quad (\text{mult by 2, a little tweak})$$

$$\cos(a+b) - \cos(a-b) = -2 \sin a \sin b \quad (\text{move sides, another little tweak})$$

$$\cos \left[\left(\frac{x+y}{2} \right) + \left(\frac{x-y}{2} \right) \right] - \cos \left[\left(\frac{x+y}{2} \right) - \left(\frac{x-y}{2} \right) \right] = -2 \sin \left(\frac{x+y}{2} \right) \sin \left(\frac{x-y}{2} \right) \quad (\text{the real tweak, sub.})$$

$$\cos x - \cos y = -2 \sin \left(\frac{x+y}{2} \right) \sin \left(\frac{x-y}{2} \right) \quad (\text{clean up \& done!!})$$

Famous IDs: Sum & Products Identities

1. Prove and OWN everyone of these famous identities.

$$\sin a \sin b = \frac{1}{2} [\cos(a - b) - \cos(a + b)]$$

2. Prove and OWN everyone of these famous identities.

$$\cos a - \cos b = -2 \sin\left(\frac{a + b}{2}\right) \sin\left(\frac{a - b}{2}\right)$$

3. Prove and OWN everyone of these famous identities.

$$\cos a \cos b = \frac{1}{2} [\cos(a - b) + \cos(a + b)]$$

4. Prove and OWN everyone of these famous identities.

$$\cos a + \cos b = 2 \cos\left(\frac{a + b}{2}\right) \cos\left(\frac{a - b}{2}\right)$$

5. Prove and OWN everyone of these famous identities.

$$\sin a \cos b = \frac{1}{2} [\sin(a + b) + \sin(a - b)]$$

6. Prove and OWN everyone of these famous identities.

$$\sin a + \sin b = 2 \sin\left(\frac{a + b}{2}\right) \cos\left(\frac{a - b}{2}\right)$$

7. Prove and OWN everyone of these famous identities.

$$\sin a - \sin b = 2 \sin\left(\frac{a - b}{2}\right) \cos\left(\frac{a + b}{2}\right)$$

8. Prove the following non-famous identity.

$$2 \cos(4x) \cos(3x) = \cos x + \cos(7x)$$

9. Prove the following non-famous identity.

$$\cos(4x) + \cos(3x) = 2 \cos(3.5x) \cos(.5x)$$

10. Prove the following non-famous identity.

$$\sin(4x) + \sin(6x) = 2 \sin(5x) \cos(x)$$

11. Prove the following non-famous identity.

$$2(2 \cos^2(2x) - 1) \cos(3x) - \cos(7x) = \cos x$$

12. Without calculators determine if the following is true, then explain...

$$\frac{\sqrt{2} + \sqrt{3}}{2} = 2 \cos(37.5^\circ) \cos(7.5^\circ)$$

13. (**) Prove the following non-famous identity.

$$4 \cos^2(2x) \cos(3x) - 2 \cos 3x - \cos(7x) = \cos x$$